



Cladding and storage solution for suspended toilet

MEUBLEO can be inserted into a room measuring 80 cm to 1 m wide, by simply cutting the runners and the shelf and can also be adjusted for height (from 1.10 m to 1.15 m) and for depth (24 cm to 33 cm).

- Finishing shelf: post-formed at melamine 22 mm thick, decor: white, maple, beech or marble
- Pre-cut facade: white PVC coated 19 mm MDF
- Doors: white PVC coated 19 mm MDF
- Handles matching the shelf
- Box structures 16 mm white melamine
- Runners: 16 mm white melamine delivered with finishing profile
- Plinth: 16 mm white melamine delivered with finishing profile

Available in **800** frame version with built-in hand wash basin



Assemble the cabinet



Place the cabinet on the frame



Adjust the runners and the plinth



Adjust the shelf



Hang the doors



Install the control panel and the toilet bowl



MEUBLEO 1100



White finish



CLADDING CABINET

MEUBLEO

MEUBLEO 1100



Maple finish



MEUBLEO 1100



Beech finish



MEUBLEO

MEUBLEO 1100



MEUBLEO

800 LVM



MEUBLEO

To install a toilet in an attic, under the stairs or beneath a window ...

... Cladding cabinet and specific storage unit for **VERS** 800 with built-in hand wash basin, supplied complete:

- **VERS** 800 complete floor frame
- **MEUBLEO** 800 finished in white, speckled white shelf and chrome plated handles
- Acrylic hand wash basin
- Push-operated tap (cold water only)
- Connection kit (bend, supply and drain flexible pipes)

MEUBLEO 800 LVM will fit in a room between 80 cm and 1 m wide by simply cutting the runners and the shelf and can also be adjusted for height between 0.80 m and 0.85 m and for depth (24 cm to 33 cm).