

WALL HUNG SANITARYWARE


SMART MVI INFRA-RED

Can be installed on VERSO 350, LAB System




DESCRIPTION



- ▶ Modern and smart design
- ▶ Made from aluminium alloy
- ▶ Decorative versions:
 - Bright chrome
 - Light mat chrome
- ▶ Fingerprint proof varnish for light mat chrome version
- ▶ Automatic pan rinsing
- ▶ User does not need to touch buttons, which prevents bacteria, mould and fungi transmission
- ▶ Vandal resistant
- ▶ Simple flush
- ▶ Automatic infra-red actuation:
 - senses user presence after 12 sec.
 - infra-red beam reaches a distance of 60 cm and has a 22° radius from sensor
 - flushes once user has left
 - servomotor flush valve actuation
 - very low voltage power supply (using transformer)
- ▶ Failure function:
 - Actuation can be performed thanks to mechanical button
 - Actuation force below 20 Newton
 - Button and plate perfect alignment thanks to metallic springs
 - Accurate and neat actuation feeling thanks to metallic springs
- ▶ Shock absorbers for preventing buttons to shock against the frame
- ▶ Smooth actuating screws to avoid operating noise
- ▶ Hand cuttable fixing and actuation screws for adapting length to cladding
- ▶ Can be used as hatch for reaching cistern equipment
- ▶ Cladding thickness between 16 and 100 mm
- ▶ Frame back pads to allow stability on the cladding
- ▶ Cannot be installed on VERSO 350 SPINAIR WC



Bright chrome



Light mat chrome



	Packing	Packing			Palette Quantity
		Nb	M ³	Kg	
SMART MVI Light Mat Chrome	Carton	1	-	1,5	-
SMART MVI Bright Chrome	Carton	1	-	1,5	-

WALL HUNG SANITARYWARE


SMART MVI INFRA-RED BATTERY

Can be installed on VERSO 350, LAB System





DESCRIPTION

- ▶ Modern and smart design
- ▶ Made from aluminium alloy
- ▶ Decorative version: bright chrome
- ▶ Automatic pan rinsing
- ▶ User does not need to touch buttons, which prevents bacteria, mould and fungi transmission
- ▶ Vandal resistant
- ▶ Simple flush
- ▶ Automatic infra-red actuation:
 - senses user presence after 12 sec.
 - infra-red beam reaches a distance of 60 cm and has a 22° radius from sensor
 - flushes once user has left
 - servomotor flush valve actuation
 - battery power supply (rechargeable or original)
- ▶ Function failure:
 - Actuation can be performed thanks to mechanical button
 - Actuation force below 20 Newton
 - Button and plate perfect alignment thanks to metallic springs
 - Accurate and neat actuation feeling thanks to metallic springs
- ▶ Shock absorbers for preventing buttons to shock against the frame
- ▶ Smooth actuating screws to avoid operating noise
- ▶ Hand cuttable fixing and actuation screws for adapting length to cladding
- ▶ Can be used as hatch for reaching cistern equipment
- ▶ Cladding thickness between 16 and 100 mm
- ▶ Frame back pads to allow stability on the cladding
- ▶ Cannot be installed on VERSO 350 SPINAIR WC



Bright chrome



	Packing	Packing			Palette Quantity
		Nb	M ³	Kg	
SMART MVI Battery Bright Chrome	Carton	1	-	1,5	-

WALL HUNG SANITARYWARE


SMARTy MVI INFRA-RED

Can be installed on VERSO 350, LAB System





DESCRIPTION

- ▶ Modern and smart design
- ▶ Made from ABS
- ▶ White finish
- ▶ Automatic pan rinsing
- ▶ User does not need to touch buttons, which prevents bacteria, mould and fungi transmission
- ▶ Simple flush
- ▶ Automatic infra-red actuation:
 - senses user presence after 12 sec.
 - infra-red beam reaches a distance of 60 cm and has a 22° radius from sensor
 - flushes once user has left
 - servomotor flush valve actuation
 - very low voltage power supply (using transformer)
- ▶ Function failure:
 - Actuation can be performed thanks to mechanical button
 - Actuation force below 20 Newton
 - Button and plate perfect alignment thanks to metallic springs
 - Accurate and neat actuation feeling thanks to metallic springs
- ▶ Shock absorbers for preventing buttons to shock against the frame
- ▶ Smooth actuating screws to avoid operating noise
- ▶ Hand cuttable fixing and actuation screws for adapting length to cladding
- ▶ Can be used as hatch for reaching cistern equipment
- ▶ Cladding thickness between 16 and 100 mm
- ▶ Frame back pads to allow stability on the cladding
- ▶ Cannot be installed on VERSO 350 SpinAir WC



White



	Packing	Packing			Palette Quantity
		Nb	M ³	Kg	
SMARTy MVI White	Carton	1	-	1,09	-

WALL HUNG SANITARYWARE


SMARTy MVI INFRA-RED BATTERY

Can be installed on VERSO 350, LAB System





DESCRIPTION

- ▶ Modern and smart design
- ▶ Made from ABS
- ▶ White finish
- ▶ Automatic pan rinsing
- ▶ User does not need to touch buttons, which prevents bacteria, mould and fungi transmission
- ▶ Simple flush
- ▶ Automatic infra-red actuation:
 - senses user presence after 12 sec.
 - infra-red beam reaches a distance of 60 cm and has a 22° radius from sensor
 - flushes once user has left
 - servomotor flush valve actuation
 - battery power supply (rechargeable or original)
- ▶ Function failure:
 - Actuation can be performed thanks to mechanical button
 - Actuation force below 20 Newton
 - Button and plate perfect alignment thanks to metallic springs
 - Accurate and neat actuation feeling thanks to metallic springs
- ▶ Shock absorbers for preventing buttons to shock against the frame
- ▶ Smooth actuating screws to avoid operating noise
- ▶ Hand cuttable fixing and actuation screws for adapting length to cladding
- ▶ Can be used as hatch for reaching cistern equipment
- ▶ Cladding thickness between 16 and 100 mm
- ▶ Frame back pads to allow stability on the cladding
- ▶ Cannot be installed on VERSO 350 SpinAir WC



White



	Packing	Packing			Palette Quantity
		Nb	M ³	Kg	
SMARTy MVI Battery White	Carton	1	-	1,09	-